

ID	RADIUS(IN)	RADIUS(MM)	DIA (IN)	DIA(MM)	CX	CC	Location
1	0.1622	4.12	0.394	10.00	1	1	R
2	0.2118	5.38	0.450	11.43	1	1	R
3	0.2350	5.97	0.375	9.53	1	1	C
4	0.2449	6.22	0.500	12.70	1	0	R
5	0.2584	6.56	0.375	9.53	1	1	C
6	0.2584	6.56	0.450	11.25	1	1	R
7	0.2590	6.58	0.480	12.25	2	2	R
8	0.2722	6.91	0.394	10.00	0	1	R
9	0.2749	6.98	0.375	9.53	1	1	C
10	0.2885	7.33	0.375	9.53	0	1	C
11	0.2980	7.57	0.500	12.70	0	1	R
12	0.3032	7.70	0.500	12.70	1	1	C
13	0.3090	7.85	0.500	12.70	1	1	C
14	0.3149	8.00	0.500	12.70	1	1	C
15	0.3300	8.38	0.500	12.70	1	1	C
16	0.3333	8.47	0.375	9.53	1	1	C
17	0.3389	8.61	0.500	12.70	1	1	C
18	0.3390	8.61	0.500	12.70	1	1	C
19	0.3420	8.69	0.500	12.70	1	1	C
20	0.3500	8.89	0.625	15.88	1	1	C
21	0.3543	9.00	0.375	9.53	1	1	C
22	0.3588	9.11	0.500	12.70	1	1	C
23	0.3605	9.16	0.394	10.00	0	1	R
24	0.3898	9.90	0.625	15.88	1	1	C
25	0.3937	10.00	0.500	12.70	1	1	C
26	0.3940	10.01	0.500	13.00	1	2	R
27	0.3968	10.08	0.500	12.70	0	1	C
28	0.4096	10.40	0.750	19.05	1	1	C
29	0.4266	10.84	0.625	15.88	1	1	C
30	0.4289	10.89	0.625	15.88	1	1	C
31	0.4420	11.23	0.625	15.88	1	1	C
32	0.4440	11.28	0.450	11.25	1	1	R
33	0.4476	11.37	0.625	15.88	1	1	C
34	0.4510	11.46	0.500	12.70	1	1	C
35	0.4650	11.82	1.102	28.00	2	1	R
36	0.4742	12.04	0.709	18.00	1	1	R
37	0.4756	12.08	0.625	15.88	1	1	C
38	0.4834	12.28	0.750	19.05	1	1	C
39	0.4903	12.45	0.750	19.05	1	1	C
40	0.4970	12.62	0.480	12.25	1	2	R
41	0.5037	12.79	0.625	15.88	1	1	C
42	0.5077	12.90	0.750	19.05	1	1	C
43	0.5090	12.93	0.580	14.75	2	2	R
44	0.5095	12.94	0.500	12.70	0	1	R
45	0.5138	13.05	0.625	15.88	1	1	C
46	0.5160	13.11	0.750	19.05	1	1	C
47	0.5170	13.13	0.750	19.05	1	1	C
48	0.5180	13.16	0.750	19.05	1	1	C
49	0.5223	13.27	0.625	15.88	1	1	C
50	0.5244	13.32	0.750	19.25		1	R
51	0.5295	13.45	1.000	25.40	1	1	C

ID	RADIUS(IN)	RADIUS(MM)	DIA (IN)	DIA(MM)	CX	CC	Location
52	0.5330	13.54	0.875	22.23	1	1	C
53	0.5337	13.56	0.500	12.70	1	1	C
54	0.5370	13.64	0.750	19.05	1	1	C
55	0.5429	13.79	0.710	18.00	1	1	R
56	0.5480	13.92	0.750	19.25	1	1	R
57	0.5523	14.03	0.875	22.23	1	1	C
58	0.5597	14.22	1.000	25.40	1	1	C
59	0.5613	14.26	0.500	13.00	1	1	R
60	0.5615	14.26	0.875	22.23	1	1	C
61	0.5665	14.39	0.880	22.23	1	1	C
62	0.5690	14.45	0.750	19.05	1	1	R
63	0.5700	14.48	0.880	22.23	1	1	C
64	0.5759	14.63	1.000	25.40	1	1	C
65	0.5770	14.66	1.000	25.40	1	1	C
66	0.5787	14.70	0.670	17.00	1	1	R
67	0.5810	14.76	0.750	19.05	1	1	C
68	0.5880	14.94	1.000	25.40	1	1	C
69	0.5896	14.98	1.500	38.10	1	1	C
70	0.5996	15.23	0.750	19.05	1	1	C
71	0.6000	15.24	0.875	22.23	1	1	C
72	0.6016	15.28	1.000	25.40	1	1	C
73	0.6120	15.55	1.000	25.75	1	1	R
74	0.6125	15.56	1.000	25.40	1	1	C
75	0.6130	15.57	1.000	25.40	1	1	C
76	0.6138	15.59	1.000	25.40	1	1	C
77	0.6260	15.90	0.750	19.50	1	1	R
78	0.6355	16.14	1.000	25.40	1	1	C
79	0.6476	16.45	1.000	25.40	1	1	C
80	0.6500	16.51	0.875	22.23	1	1	C
81	0.6511	16.54	0.880	22.23	1	1	C
82	0.6530	16.59	1.000	25.40	1	1	C
83	0.6580	16.71	1.000	25.40	1	1	C
84	0.6657	16.91	0.750	19.05	1	1	C
85	0.6810	17.30	0.875	22.23	1	1	C
86	0.6834	17.36	0.850	21.50	1	1	C
87	0.6850	17.40	1.000	25.40	1	1	C
88	0.6940	17.63	1.000	25.40	1	1	C
89	0.6957	17.67	1.000	25.40	1	1	C
90	0.7057	17.92	1.000	25.40	1	1	R
91	0.7080	17.98	1.000	25.40	1	1	R
92	0.7164	18.20	1.000	25.40	1	1	C
93	0.7228	18.36	1.000	25.40	1	1	C
94	0.7248	18.41	1.000	25.40	1	1	C
95	0.7280	18.49	1.000	25.40	1	1	C
96	0.7364	18.70	1.000	25.40	1	1	C
97	0.7450	18.92	1.250	31.75	1	1	C
98	0.7543	19.16	1.000	25.40	1	1	C
99	0.7567	19.22	0.750	19.05	1	1	R
100	0.7610	19.33	1.250	31.75	1	1	C
101	0.7730	19.63	0.725	18.41	1	1	R
102	0.7793	19.79	1.000	25.40	1	1	C

ID	RADIUS(IN)	RADIUS(MM)	DIA (IN)	DIA(MM)	CX	CC	Location
103	0.7854	19.95	1.000	25.40	1	1	C
104	0.7870	19.99	1.000	25.40	1	1	R
105	0.7874	20.00	0.500	12.70	0	1	R
106	0.7910	20.09	1.003	25.49	1	1	R
107	0.7916	20.11	1.000	25.40	1	1	C
108	0.7995	20.31	1.375	34.93	1	1	C
109	0.8050	20.45	0.600	15.25		1	R
110	0.8055	20.46	1.000	25.40	1	1	C
111	0.8092	20.55	1.000	25.40	1	1	C
112	0.8207	20.85	1.500	38.10	1	1	C
113	0.8389	21.31	1.000	25.40	1	1	C
114	0.8453	21.47	1.000	25.40	1	1	C
115	0.8492	21.57	1.500	38.10	1	1	C
116	0.8530	21.66	1.500	38.50	2	2	R
117	0.8700	22.10	0.750	19.05	1	1	C
118	0.8773	22.28	1.000	25.40	1	1	C
119	0.8870	22.53	1.000	25.40	1	1	C
120	0.8894	22.59	0.500	12.70	0	1	R
121	0.8930	22.68	1.509	38.34	1	1	R
122	0.9070	23.04	1.500	40.75	1	1	R
123	0.9120	23.16	1.250	31.75	1	1	C
124	0.9164	23.28	1.250	31.75	1	1	C
125	0.9168	23.29	1.512	38.40	1	1	R
126	0.9220	23.42	1.000	25.40	1	1	C
127	0.9298	23.62	1.375	34.93	1	1	C
128	0.9315	23.66	1.000	25.40	1	1	C
129	0.9430	23.95	1.250	31.75	1	1	C
130	0.9477	24.07	1.000	25.40	1	1	C
131	0.9525	24.19	1.000	25.40	1	1	C
132	0.9790	24.87	1.375	34.93	1	1	C
133	0.9835	24.98	0.500	13.00	1		R
134	0.9877	25.09	1.380	34.93	1	1	C
135	0.9930	25.22	1.250	31.75	1	1	C
136	1.0010	25.43	1.250	31.75	1	1	C
137	1.0100	25.65	1.500	38.10	1	1	C
138	1.0123	25.71	1.375	34.93	1	1	C
139	1.0227	25.98	1.750	44.45	1	1	C
140	1.0316	26.20	1.375	34.93	1	1	C
141	1.0350	26.29	0.850	21.75	2	2	R
142	1.0383	26.37	0.500	13.00	1	1	R
143	1.0390	26.39	1.000	25.50	1	1	R
144	1.0390	26.39	1.500	40.25	2	2	R
145	1.0436	26.51	1.625	41.28	1	1	C
146	1.0448	26.54	1.500	38.10	1	1	C
147	1.0450	26.54	1.250	31.75	3	3	R
148	1.0530	26.75	1.500	38.10	1	1	C
149	1.0556	26.81	1.500	38.10	1	1	C
150	1.0660	27.08	1.500	38.10	1	1	C
151	1.0728	27.25	0.750	19.05	1	1	C
152	1.0728	27.25	1.970	50.00	1	1	R
153	1.0790	27.41	1.375	34.93	1	1	C

ID	RADIUS(IN)	RADIUS(MM)	DIA (IN)	DIA(MM)	CX	CC	Location
154	1.0860	27.58	1.250	31.75	1	1	C
155	1.0880	27.64	1.375	34.93	1	1	C
156	1.1043	28.05	1.500	38.50	1	1	R
157	1.1200	28.45	1.750	44.45	1	1	C
158	1.1238	28.54	1.750	44.45	1	1	C
159	1.1260	28.60	1.000	25.40	1	1	C
160	1.1270	28.63	1.500	38.10	1	1	C
161	1.1330	28.78	0.750	19.25	1	1	R
162	1.1531	29.29	1.500	38.10	1	1	C
163	1.1550	29.34	1.600	41.75	1	1	R
164	1.1652	29.60	1.750	44.45	1	1	C
165	1.1700	29.72	1.375	34.93	1	1	C
166	1.1712	29.75	1.500	38.10	1	1	C
167	1.1758	29.87	1.250	31.75	1	1	C
168	1.1790	29.95	1.750	44.45	1	1	C
169	1.1810	30.00	2.000	50.80	1	1	C
170	1.1810	30.00	1.250	31.75	1	1	C
171	1.1866	30.14	1.700	43.75	1	1	R
172	1.1870	30.15	1.700	44.25	1	1	R
173	1.1905	30.24	1.350	34.50	1	2	R
174	1.1935	30.31	1.250	31.75	1	1	C
175	1.2005	30.49	0.750	19.50	1	1	R
176	1.2027	30.55	1.500	38.10	1	1	C
177	1.2252	31.12	1.500	38.75	1	1	R
178	1.2331	31.32	1.500	40.75	1		R
179	1.2400	31.50	1.750	44.45	1	1	R
180	1.2400	31.50	0.500	12.50	1	1	C
181	1.2420	31.55	1.600	40.75	1	1	R
182	1.2520	31.80	1.600	40.75	1	1	R
183	1.2557	31.89	2.000	50.80	1	1	C
184	1.2600	32.00	2.000	50.80	1	1	C
185	1.2673	32.19	1.500	38.10	1	1	C
186	1.2773	32.44	0.875	22.23	1	1	C
187	1.2790	32.49	1.500	38.25	1	1	R
188	1.2864	32.67	1.500	38.25	1	1	R
189	1.2870	32.69	1.750	44.45	1	1	C
190	1.2880	32.72	1.750	44.45	1	1	C
191	1.2897	32.76	1.250	31.75	1	1	C
192	1.2910	32.79	1.000	25.40	1	1	C
193	1.2960	32.92	1.500	50.00		1	R
194	1.2981	32.97	1.500	38.10	1	1	C
195	1.3002	33.03	1.500	38.10	1	1	C
196	1.3110	33.30	1.750	44.45	1	1	C
197	1.3140	33.38	1.506	38.25	1	1	R
198	1.3232	33.61	1.750	44.45	1	1	C
199	1.3380	33.99	0.800	20.00	1	1	R
200	1.3574	34.48	1.750	44.45	1	1	C
201	1.3650	34.67	1.350	34.50	1	1	R
202	1.3677	34.74	1.750	44.45	1	1	C
203	1.3694	34.78	2.000	50.80	1	1	C
204	1.3700	34.80	1.000	25.40	1	1	C

ID	RADIUS(IN)	RADIUS(MM)	DIA (IN)	DIA(MM)	CX	CC	Location
205	1.3730	34.87	1.500	38.10	1	1	C
206	1.3800	35.05	1.500	38.10	1	1	C
207	1.3819	35.10	2.205	56.00	0	1	R
208	1.3900	35.31	2.022	51.35	0	1	R
209	1.3958	35.45	1.000	25.40	1	1	R
210	1.4000	35.56	1.125	28.58	1	1	C
211	1.4078	35.76	2.000	50.80	1	1	C
212	1.4110	35.84	1.000	25.50	1	1	R
213	1.4110	35.84	1.500	38.50	1	1	R
214	1.4110	35.84	2.000	51.75	1	1	R
215	1.4110	35.84	1.378	35.00		1	R
216	1.4140	35.92	1.496	38.00	1	0	R
217	1.4230	36.14	1.500	38.10	1	1	C
218	1.4290	36.30	1.750	44.45	1	1	C
219	1.4382	36.53	1.500	38.10	1	1	C
220	1.4420	36.63	1.500	38.00	1	0	R
221	1.4433	36.66	1.525	38.50	0	1	R
222	1.4504	36.84	1.000	25.40	1	1	R
223	1.4630	37.16	1.900	48.25	2	2	R
224	1.4978	38.04	1.750	44.45	1	1	C
225	1.5156	38.50	2.000	50.80	1	1	C
226	1.5297	38.85	0.800	20.75	1	1	R
227	1.5310	38.89	2.000	50.80	1	1	C
228	1.5500	39.37	1.500	38.10	1	1	C
229	1.5590	39.60	1.750	44.45	1	1	C
230	1.5590	39.60	2.000	50.80	1	1	C
231	1.5710	39.90	2.500	63.50	1	1	C
232	1.5760	40.03	1.500	38.10	1	1	C
233	1.5810	40.16	2.000	50.80	1	1	C
234	1.5904	40.40	1.500	38.10	1	1	C
235	1.5995	40.63	2.000	51.25	0	1	R
236	1.6012	40.67	2.000	50.80	1	1	C
237	1.6050	40.77	2.000	50.80	1	1	C
238	1.6085	40.86	2.000	50.80	1	1	C
239	1.6150	41.02	1.500	38.10	1	1	R
240	1.6150	41.02	2.500	63.50	1	1	R
241	1.6156	41.04	1.350	34.50	1	1	R
242	1.6170	41.07	0.850	21.75	1	2	R
243	1.6170	41.07	2.000	50.80	2	3	R
244	1.6180	41.10	1.358	34.50	1	2	R
245	1.6264	41.31	2.000	50.80	1	1	C
246	1.6300	41.40	1.750	44.45	1	1	C
247	1.6365	41.57	1.750	44.45	1	1	C
248	1.6370	41.58	2.000	51.25	1	1	R
249	1.6450	41.78	2.000	50.80	1	1	C
250	1.6460	41.81	1.500	38.10	1	1	C
251	1.6470	41.83	1.375	34.93	1	1	C
252	1.6687	42.38	1.750	44.45	1	1	C
253	1.6865	42.84	2.000	50.80	1	1	C
254	1.6906	42.94	0.500	12.70	1	1	R
255	1.6929	43.00	0.500	12.70	0	1	R

ID	RADIUS(IN)	RADIUS(MM)	DIA (IN)	DIA(MM)	CX	CC	Location
256	1.7008	43.20	1.750	44.45	1	1	C
257	1.7140	43.54	1.650	42.00	2	2	R
258	1.7200	43.69	1.750	44.45	1	1	C
259	1.7230	43.76	2.000	50.80	1	1	C
260	1.7350	44.07	0.500	13.25	1	1	R
261	1.7380	44.15	2.000	50.80	1	1	C
262	1.7410	44.22	2.000	51.50	1	1	R
263	1.7440	44.30	2.000	50.80	1	1	C
264	1.7580	44.65	1.750	44.45	1	1	C
265	1.7670	44.88	1.250	32.00	2	2	R
266	1.7750	45.09	1.750	44.45	1	1	C
267	1.7750	45.09	2.000	50.80	1	0	R
268	1.7780	45.16	2.000	51.25	1	1	R
269	1.7796	45.20	1.750	44.45	1	1	C
270	1.7830	45.29	2.000	50.80	1	1	C
271	1.7860	45.36	2.000	50.80	1	1	C
272	1.7940	45.57	2.250	57.50		1	R
273	1.7950	45.59	2.000	50.80	1	1	C
274	1.8016	45.76	2.000	50.80	4	4	R
275	1.8043	45.83	1.500	38.50	2	2	R
276	1.8047	45.84	2.000	51.25	2	2	R
277	1.8086	45.94	1.750	44.45	1	1	C
278	1.8382	46.69	2.000	50.80	1	1	C
279	1.8385	46.70	1.500	38.10	1	1	C
280	1.8500	46.99	2.000	50.80	1	1	C
281	1.8583	47.20	2.050	52.00	1	1	R
282	1.8720	47.55	2.000	50.80	1	1	C
283	1.8750	47.63	1.496	38.00	1	2	R
284	1.8758	47.65	2.500	63.50	1	1	C
285	1.8760	47.65	2.000	50.80	1	1	C
286	1.8845	47.87	1.750	44.45	1	1	C
287	1.8860	47.90	1.750	44.45	1	1	C
288	1.8900	48.01	1.350	34.50	2	2	R
289	1.8942	48.11	2.000	50.80	1	1	C
290	1.9060	48.41	1.250	31.75	1	1	C
291	1.9250	48.90	1.250	31.75	1	1	C
292	1.9252	48.90	2.000	50.80	4	4	R
293	1.9290	49.00	2.000	50.80	1	1	C
294	1.9500	49.53	1.500	38.10	1	1	C
295	1.9544	49.64	2.000	50.80	1	1	C
296	1.9683	49.99	0.500	13.00	1	1	R
297	1.9773	50.22	1.000	25.40	1	1	C
298	1.9815	50.33	1.750	44.45	1	1	C
299	1.9860	50.44	1.750	44.45	1	1	C
300	1.9950	50.67	2.000	50.80	2	2	C
301	2.0070	50.98	2.000	50.80	1	1	C
302	2.0090	51.03	2.000	50.80	1	1	C
303	2.0090	51.03	2.500	63.50	1	1	R
304	2.0120	51.10	2.500	63.50	1	1	C
305	2.0120	51.10	1.500	38.10	1	1	C
306	2.0170	51.23	2.500	63.50	1	1	C

ID	RADIUS(IN)	RADIUS(MM)	DIA (IN)	DIA(MM)	CX	CC	Location
307	2.0210	51.33	0.800	20.75	1	1	R
308	2.0405	51.83	2.000	50.80	1	1	C
309	2.0550	52.20	2.000	50.80	1	1	C
310	2.0555	52.21	1.500	38.10	1	1	C
311	2.0840	52.93	2.000	50.80	2	1	R
312	2.0980	53.29	2.500	63.50	1	1	C
313	2.1070	53.52	2.000	50.80	1	1	C
314	2.1125	53.66	2.500	63.50	1	1	C
315	2.1223	53.91	2.000	50.80	1	1	C
316	2.1230	53.92	1.625	41.28	1	1	C
317	2.1300	54.10	1.900	48.26	1	1	R
318	2.1340	54.20	1.600	40.64	2	2	R
319	2.1410	54.38	1.000	25.40	2	2	R
320	2.1623	54.92	3.000	76.20	1	1	C
321	2.1775	55.31	2.500	63.50	1	1	C
322	2.1922	55.68	2.000	50.80	1	1	R
323	2.1934	55.71	1.970	50.00	1	1	R
324	2.1940	55.73	2.000	50.80	1	1	C
325	2.2080	56.08	1.700	43.18	1	1	R
326	2.2080	56.08	2.500	63.50	1	1	R
327	2.2090	56.11	2.000	50.80	1	1	C
328	2.2180	56.34	2.500	63.50	1	1	C
329	2.2230	56.46	2.250	57.15	1	1	C
330	2.2380	56.85	2.500	63.50	1	1	C
331	2.2430	56.97	3.000	76.20	1	1	C
332	2.2460	57.05	1.500	38.10	0	1	R
333	2.2500	57.15	1.600	40.64	1	1	R
334	2.2550	57.28	2.500	63.50	1	1	C
335	2.2650	57.53	1.900	48.26	1	1	R
336	2.2730	57.73	2.500	63.50	1	1	C
337	2.2780	57.86	2.000	50.80	1	1	C
338	2.2816	57.95	2.500	63.50	1	1	C
339	2.2872	58.09	1.220	31.00	1		R
340	2.2910	58.19	1.200	30.48	2	1	R
341	2.2915	58.20	2.000	50.80	1	1	C
342	2.3030	58.50	2.000	50.80	1	1	C
343	2.3130	58.75	2.000	50.80	1	1	C
344	2.3290	59.16	2.000	50.80	1	1	R
345	2.3318	59.23	0.750	19.05	1	1	C
346	2.3425	59.50	2.205	56.00	0	1	R
347	2.3600	59.94	2.000	50.80	1	1	R
348	2.3606	59.96	2.000	50.80	1	1	C
349	2.3800	60.45	1.750	44.45	1	1	C
350	2.3895	60.69	1.500	38.10	1	1	C
351	2.3895	60.69	1.575	40.00	0	1	R
352	2.3910	60.73	1.500	38.10	1	1	R
353	2.4110	61.24	3.000	76.20	1	1	C
354	2.4110	61.24	2.250	57.15	1	1	C
355	2.4370	61.90	1.000	25.40	1	1	C
356	2.4485	62.19	3.000	76.20	1	1	C
357	2.4530	62.31	2.441	62.00	1	1	R

ID	RADIUS(IN)	RADIUS(MM)	DIA (IN)	DIA(MM)	CX	CC	Location
358	2.4800	62.99	1.250	31.75	1	0	R
359	2.4860	63.14	2.500	63.50	1	1	C
360	2.4875	63.18	3.000	76.20	1	1	C
361	2.4930	63.32	3.000	76.20	1	1	C
362	2.5020	63.55	0.775	19.69	1	1	R
363	2.5155	63.89	3.000	76.20	1	1	C
364	2.5200	64.01	1.250	31.75	1	2	R
365	2.5515	64.81	3.500	88.90	1	1	C
366	2.5540	64.87	1.500	38.10	1	1	R
367	2.5850	65.66	2.750	69.85	1	1	C
368	2.5955	65.93	3.000	76.20	1	1	C
369	2.6010	66.07	2.500	63.50	1	1	C
370	2.6060	66.19	2.000	50.80	1	1	C
371	2.6060	66.19	2.500	63.50	1	1	C
372	2.6090	66.27	1.750	44.45	1	1	R
373	2.6090	66.27	2.500	63.50	1	2	R
374	2.6120	66.34	2.100	53.34	2	2	R
375	2.6294	66.79	2.500	63.50	1	1	C
376	2.6428	67.13	2.000	50.80	1	1	R
377	2.6510	67.34	1.200	30.48	2	2	R
378	2.6561	67.47	0.500	12.70	0	1	R
379	2.6620	67.61	2.000	50.80	1	1	R
380	2.6740	67.92	2.000	50.80	1	1	C
381	2.6860	68.22	2.500	63.50	1	1	C
382	2.6925	68.39	2.559	65.00	1		R
383	2.6970	68.50	2.000	50.80	1	1	C
384	2.7010	68.61	2.500	63.50	1	1	C
385	2.7145	68.95	3.000	76.20	1	1	C
386	2.7360	69.49	3.000	76.20	1	1	C
387	2.7370	69.52	2.000	50.80	1	1	C
388	2.7440	69.70	2.000	50.80	1	1	C
389	2.7515	69.89	2.500	63.50	1	1	C
390	2.7520	69.90	1.750	44.45	1	1	C
391	2.7559	70.00	2.050	52.00	1	1	R
392	2.7710	70.38	1.500	38.10	1	2	R
393	2.7850	70.74	2.500	63.50	1	1	C
394	2.7854	70.75	1.350	34.29	1	1	R
395	2.8072	71.30	1.600	40.64	1	1	R
396	2.8085	71.34	2.000	50.80	1	2	R
397	2.8161	71.53	2.000	50.80	1	1	R
398	2.8310	71.91	2.010	51.00	1	1	R
399	2.8450	72.26	1.500	38.10	1	1	C
400	2.8469	72.31	2.000	50.80	1	1	R
401	2.8580	72.59	2.500	63.50	1	1	C
402	2.8750	73.03	2.000	50.83	1	1	R
403	2.8780	73.10	1.520	38.60	1	1	R
404	2.9055	73.80	2.350	59.60	1		R
405	2.9193	74.15	1.000	25.40	1	1	R
406	2.9340	74.52	2.000	50.80	1	1	R
407	2.9358	74.57	2.500	63.50	1	1	C
408	2.9410	74.70	2.250	57.15	1	1	C

ID	RADIUS(IN)	RADIUS(MM)	DIA (IN)	DIA(MM)	CX	CC	Location
409	2.9466	74.84	1.000	25.40	1	1	R
410	2.9800	75.69	0.600	15.45	1	2	R
411	2.9820	75.74	3.000	76.20	1	1	C
412	2.9860	75.84	2.500	63.50	1	1	C
413	2.9900	75.95	3.000	76.20	1	1	C
414	2.9956	76.09	3.000	76.20	1	1	C
415	3.0000	76.20	1.750	44.45	1	1	C
416	3.0318	77.01	3.000	76.20	1	1	C
417	3.0400	77.22	1.900	48.50	1	2	R
418	3.0445	77.33	3.750	95.25	1	1	C
419	3.0469	77.39	2.000	50.80	1	1	R
420	3.0900	78.49	0.906	23.00		1	R
421	3.0910	78.51			1	1	R
422	3.0995	78.73	2.500	63.50	1	1	C
423	3.1070	78.92	2.750	69.85	1	1	C
424	3.1170	79.17	2.500	63.50	1	1	C
425	3.1230	79.32	2.500	63.50	1	1	C
426	3.1293	79.48	2.000	51.00	1	1	R
427	3.1530	80.09	2.000	50.80	1	1	C
428	3.1580	80.21	2.000	50.80	1	1	R
429	3.1590	80.24	2.000	51.00	2	1	R
430	3.1630	80.34	2.000	51.00		1	R
431	3.1700	80.52	2.500	63.50	1	1	C
432	3.1810	80.80	2.250	57.15	1	1	C
433	3.2000	81.28	2.000	50.80	1	1	C
434	3.2150	81.66	3.000	76.20	1	1	C
435	3.2340	82.14	2.000	51.25	1	1	R
436	3.2554	82.69	3.000	76.20	1	1	C
437	3.2835	83.40	3.504	89.00	0	1	R
438	3.2864	83.47	2.000	50.80	1	1	C
439	3.2940	83.67	3.000	76.20	1	1	C
440	3.3230	84.40	3.000	76.20	0	1	R
441	3.3431	84.91	2.500	63.50	1	1	C
442	3.3650	85.47	2.269	57.60	1	1	R
443	3.3900	86.11	2.032	51.62	1	1	R
444	3.3926	86.17	3.000	76.20	1	1	C
445	3.4170	86.79	2.000	50.80	1	1	R
446	3.4240	86.97	3.000	76.20	1	1	C
447	3.4460	87.53	2.000	50.80	1	1	R
448	3.4560	87.78	3.504	89.00	0	1	R
449	3.4860	88.54	2.750	69.85	1	1	C
450	3.4922	88.70	2.500	63.50	1	1	C
451	3.5150	89.28	2.267	57.57	1	1	R
452	3.5190	89.38	1.900	48.50	2	2	R
453	3.5304	89.67	3.250	82.55	1	1	C
454	3.5430	89.99	2.500	63.50	1	1	R
455	3.5505	90.18	2.250	57.15	1	1	C
456	3.5510	90.20	0.750	19.05	1	1	R
457	3.5530	90.25	2.000	50.80	1	0	R
458	3.5550	90.30	2.000	50.80	1	0	C
459	3.5550	90.30	2.500	63.50	0	1	C

ID	RADIUS(IN)	RADIUS(MM)	DIA (IN)	DIA(MM)	CX	CC	Location
460	3.5660	90.58	3.250	82.55	1	1	C
461	3.5750	90.81	2.200	55.80	1	1	R
462	3.5795	90.92	2.500	63.50	1	0	R
463	3.5860	91.08	2.500	63.50	1	1	C
464	3.5920	91.24	1.750	44.45	1	1	C
465	3.6070	91.62	2.500	63.50	1	1	C
466	3.6510	92.74	2.000	51.60	1	1	R
467	3.6520	92.76	2.000	50.80	1	1	R
468	3.6630	93.04	2.500	63.50	1	1	C
469	3.6680	93.17	1.968	50.00	1	1	R
470	3.6700	93.22	2.250	57.00	1	1	R
471	3.6737	93.31	2.250	57.15	1	1	C
472	3.6990	93.95	0.995	25.30	1	2	R
473	3.6990	93.95	1.350	34.50	1	1	R
474	3.7575	95.44	1.000	25.40	1	1	C
475	3.8000	96.52	2.030	51.50	1	1	R
476	3.8375	97.47	3.000	76.20	1	1	C
477	3.8430	97.61	2.500	63.50	1	1	C
478	3.8625	98.11	3.000	76.20	1	1	C
479	3.8965	98.97	2.500	63.50	1	1	C
480	3.9399	100.07	2.490	63.26	1	1	R
481	3.9410	100.10	2.750	69.85	1	1	C
482	3.9590	100.56	2.000	51.70	1	1	R
483	3.9620	100.63	1.750	44.45	1	1	C
484	3.9807	101.11	0.850	21.75		1	R
485	3.9807	101.11	2.395	60.85		1	R
486	3.9920	101.40	3.250	82.55	1	1	C
487	4.0122	101.91	2.362	60.00		1	R
488	4.0350	102.49	2.011	51.00	1	1	R
489	4.0360	102.51	2.000	50.80	1	1	R
490	4.0640	103.23	3.000	76.20	1	1	C
491	4.0680	103.33	2.017	51.25	1	1	R
492	4.0730	103.45	1.500	39.00	1		R
493	4.0803	103.64	2.000	50.80	1	1	R
494	4.0860	103.78	2.000	50.80	1	1	C
495	4.1060	104.29	2.500	63.50	1	1	C
496	4.1318	104.95	5.000	127.00	1	0	R
497	4.1325	104.97	3.000	76.20	1	1	C
498	4.1340	105.00	1.650	42.28	1	2	R
499	4.1370	105.08	2.500	63.50	1	1	C
500	4.1744	106.03	3.150	80.00	1	1	R
502	4.1990	106.65	3.000	76.20		1	R
503	4.2230	107.26	1.750	44.45	1	1	C
504	4.2380	107.65	3.000	76.20	1	1	C
505	4.2610	108.23	2.000	50.80	1	1	R
506	4.2970	109.14	2.000	50.80	1	1	C
507	4.3103	109.48	1.650	42.00	2	1	R
508	4.3260	109.88	3.000	76.20	1	1	C
509	4.3543	110.60	2.000	50.80	1	1	R
510	4.3890	111.48	3.500	88.90	1	1	C
511	4.3920	111.56	1.496	38.00	0	1	R

ID	RADIUS(IN)	RADIUS(MM)	DIA (IN)	DIA(MM)	CX	CC	Location
512	4.3930	111.58	2.750	69.85	1	1	C
513	4.4050	111.89	2.500	63.50	1	1	C
514	4.4196	112.26	2.500	63.50	1	1	C
515	4.4440	112.88	3.000	76.20	1	1	C
516	4.4570	113.21	3.000	76.20	1	1	C
517	4.4712	113.57	3.000	76.20	1	1	C
518	4.4770	113.72	2.125	54.00	1	2	R
519	4.4825	113.86	3.250	82.55	1	1	C
520	4.5060	114.45	1.375	35.25	1	2	R
521	4.5194	114.79	3.000	76.20	1	1	C
522	4.5400	115.32	1.511	38.39	1	1	R
523	4.5410	115.34	2.500	63.50	1	1	C
524	4.6406	117.87	3.250	82.55	1	1	C
525	4.6680	118.57	1.540	39.14	1	1	R
526	4.6700	118.62	3.250	82.55	1	1	C
527	4.7016	119.42	3.000	76.20	1	1	C
528	4.7250	120.02	3.000	76.20	2	2	C
529	4.7460	120.55	3.250	82.55	1	1	C
530	4.7990	121.89	0.900	22.00		1	R
531	4.8080	122.12	3.250	82.55	1	1	C
532	4.8080	122.12	2.250	57.00	1		R
533	4.9320	125.27	3.250	82.55	1	1	C
534	4.9377	125.42	2.500	63.50	1	1	C
535	4.9533	125.81	3.250	82.55	1	1	C
536	5.0460	128.17	2.000	50.80	1	1	R
537	5.0480	128.22	2.000	50.80	1	1	C
538	5.0570	128.45	1.893	48.00	1	2	R
539	5.0710	128.80	2.500	63.50	1	1	C
540	5.0720	128.83	3.500	89.00	0	1	R
541	5.0850	129.16	2.500	63.50	1	1	C
542	5.1150	129.92	3.500	88.90	1	1	C
543	5.2400	133.10	2.165	55.00		1	R
544	5.2442	133.20	2.000	50.80	1	1	R
545	5.2553	133.48	2.500	63.50	1	1	C
546	5.2558	133.50	3.250	82.55	1	1	C
547	5.3080	134.82	4.000	101.60	1	1	C
548	5.3235	135.22	2.500	63.50	1	1	C
549	5.3350	135.51	1.900	48.45	1	2	R
550	5.3690	136.37	2.170	55.00	1	1	R
551	5.3760	136.55	2.200	57.50	1	1	R
552	5.3870	136.83	2.750	69.85	1	1	C
553	5.3890	136.88	3.500	88.90	1	1	C
554	5.4750	139.07	3.250	82.55	1	1	C
555	5.4790	139.17	2.500	63.50	1	1	C
556	5.5184	140.17	3.000	76.20	1	1	C
557	5.5350	140.59	0.770	20.00	1	1	R
558	5.5390	140.69	2.250	57.15	1	1	C
559	5.5620	141.27	3.000	76.20	1	1	C
560	5.6520	143.56	3.000	76.20	1	1	C
561	5.7080	144.98	0.450	11.22	1	1	R
562	5.7280	145.49	3.000	76.20	1	1	C

ID	RADIUS(IN)	RADIUS(MM)	DIA (IN)	DIA(MM)	CX	CC	Location
563	5.7917	147.11	2.910	74.00		1	R
564	5.8300	148.08	3.000	76.20	1	1	C
565	5.8550	148.72	3.000	76.20	1	1	C
566	5.8720	149.15	3.250	82.55	1	1	C
567	5.8894	149.59	3.250	82.55	1	1	C
568	5.8970	149.78	1.500	38.10	1	1	C
569	5.9070	150.04	2.500	63.50	1	1	C
570	5.9510	151.16	1.000	25.40	1	1	C
571	5.9700	151.64	3.000	76.20	1	1	C
572	5.9720	151.69	3.500	88.90	1	1	C
573	6.0410	153.44	3.500	88.90	1	1	C
574	6.0430	153.49	3.000	76.20	1	1	C
575	6.0480	153.62	3.750	95.25	1	1	C
576	6.0700	154.18	2.500	63.50	1	1	C
577	6.1060	155.09	0.850	21.70	1	2	R
578	6.1419	156.00	2.000	50.80	1	1	C
579	6.1440	156.06	1.361	34.50	1	1	R
580	6.1540	156.31	1.181	30.00		1	R
581	6.1675	156.65	2.237	56.81	1	1	R
582	6.2620	159.05	3.000	76.20	1	1	C
583	6.2862	159.67	1.575	40.00	1	1	R
584	6.3000	160.02	2.750	69.85	1	1	C
585	6.3700	161.80	1.500	38.10	1	1	C
586	6.3970	162.48	3.000	76.20	1	1	C
587	6.4030	162.64	1.250	31.75	1	1	C
588	6.4606	164.10	3.000	76.20	1	1	C
589	6.4750	164.47	3.000	76.20	1	1	C
590	6.5050	165.23	3.750	95.25	1	1	C
591	6.5516	166.41	3.460	88.00	1	0	R
592	6.5620	166.67	3.000	76.20	1	1	C
593	6.5810	167.16	4.000	101.60	1	1	C
594	6.6060	167.79	2.750	69.85	1	1	C
595	6.6460	168.81	3.000	76.20	1	1	C
596	6.6700	169.42	2.270	57.60	1	1	R
597	6.7925	172.53	3.250	82.55	1	1	C
598	6.8050	172.85	1.740	44.25	1	2	R
599	6.8060	172.87	0.750	19.05		1	R
600	6.8090	172.95	3.250	82.55	1	1	C
601	6.8100	172.97	3.250	82.55	1	1	C
602	6.8650	174.37	4.000	101.60	1	1	C
603	6.9380	176.23	3.500	88.90	1	1	C
604	6.9571	176.71	3.110	79.00	1		R
605	7.0050	177.93	4.250	107.95	1	1	C
606	7.1250	180.98	1.000	25.50	1	1	R
607	7.1840	182.47	3.000	76.20	1	1	C
608	7.1930	182.70	1.250	32.00	1	1	R
609	7.2120	183.18	3.000	76.20	1	1	C
610	7.3390	186.41	3.000	76.20	1	1	C
611	7.3590	186.92	4.000	101.60	1	1	C
612	7.3773	187.38	2.500	63.50	1	1	C
613	7.3780	187.40	2.000	50.80	1	1	C

ID	RADIUS(IN)	RADIUS(MM)	DIA (IN)	DIA(MM)	CX	CC	Location
614	7.4145	188.33	2.280	58.00		1	R
615	7.4350	188.87	1.181	30.00	1	1	R
616	7.5207	191.03	4.000	101.60	1	1	C
617	7.5760	192.43	2.250	57.50	1	1	R
618	7.5860	192.68	3.500	88.90	1	1	C
619	7.5930	192.86	2.500	63.50	1	1	C
620	7.5970	192.96	2.500	63.50	1	1	C
621	7.7300	196.34	2.000	50.80	1	1	C
622	7.7910	197.89	3.000	76.20	1	1	C
623	7.8614	199.68	2.500	63.65	1	1	R
624	7.8740	200.00	3.000	76.20	1	1	C
625	7.8770	200.08	5.250	133.35	1	1	C
626	7.9680	202.39	3.250	82.55	1	1	C
627	7.9815	202.73	2.000	50.80	1	1	R
628	8.0010	203.23	3.000	76.20	1	1	C
629	8.0180	203.66	4.000	101.60	1	1	C
630	8.0900	205.49	3.750	95.25	1	1	C
631	8.1140	206.10	3.000	76.20	1	1	C
632	8.2630	209.88	3.150	80.00	1	1	R
633	8.2909	210.59	2.000	51.00	1	0	R
634	8.3160	211.23	4.000	101.60	1	1	C
635	8.3290	211.56	2.000	51.30	1	1	R
636	8.3314	211.62	6.000	152.40	1	1	C
637	8.4170	213.79	3.000	76.20	1	1	C
638	8.4200	213.87	1.693	43.00	1	2	R
639	8.5010	215.93	2.750	69.85	1	1	C
640	8.5080	216.10	1.900	48.25	1	1	R
641	8.5410	216.94	2.130	54.25	1	1	R
642	8.5490	217.14	2.012	51.10	1	1	R
643	8.5890	218.16	2.750	69.85	1	1	C
644	8.6140	218.80	5.000	127.88	1	1	R
645	8.6210	218.97	3.000	76.20	2	2	C
646	8.6320	219.25	2.125	53.92	1	2	R
647	8.6920	220.78	2.283	58.00	0	1	R
648	8.7052	221.11	2.500	63.65	1	1	R
649	8.7840	223.11	4.000	101.60	1	1	C
650	8.8700	225.30	6.000	152.40	1	1	C
651	8.9100	226.31	3.000	76.20	1	1	C
652	8.9190	226.54	4.000	101.60	1	1	C
653	9.0020	228.65	2.000	50.80	1		R
654	9.0130	228.93	3.000	76.20	1	1	C
655	9.1040	231.24	3.000	76.20	1	1	C
656	9.2200	234.19	2.250	57.15		1	R
657	9.2950	236.09	3.000	76.20	1	1	C
658	9.3310	237.01	3.460	88.00	0	1	R
659	9.3680	237.95	3.250	82.55	1	1	C
660	9.3929	238.58	2.000	50.80	1	1	R
661	9.4530	240.11	1.496	38.00	0	1	R
662	9.4860	240.94	3.500	88.90	1	1	C
663	9.5050	241.43	3.000	76.20	1	1	C
664	9.5590	242.80	3.750	95.25	1	1	C

ID	RADIUS(IN)	RADIUS(MM)	DIA (IN)	DIA(MM)	CX	CC	Location
665	9.6650	245.49	3.250	82.55	1	1	C
666	9.6960	246.28	3.000	76.20	1	1	C
667	9.7330	247.22	3.000	76.20	1	1	C
668	9.7940	248.77	3.250	82.55	1	1	C
669	9.8010	248.95	2.000	50.80	1	1	C
670	9.8040	249.02	4.000	101.60	1	1	C
671	9.8500	250.19	3.000	76.20	1	1	C
672	9.9620	253.03	5.000	127.00	1	1	C
673	9.9950	253.87	3.000	76.20	1	1	C
674	9.9960	253.90	3.000	76.20	1	1	C
675	10.0800	256.03	2.000	51.00	1		R
676	10.1340	257.40	6.000	152.40	1	1	C
677	10.1380	257.51	3.000	76.20	1	1	C
678	10.2540	260.45	3.000	76.20	1	1	C
679	10.2590	260.58	4.000	101.60	1	1	C
680	10.2850	261.24	3.250	82.55	1	1	C
681	10.4570	265.61	3.000	76.20	1	1	C
682	10.4760	266.09	3.000	76.20	1	1	C
683	10.4760	266.09	2.750	69.85	1	1	C
684	10.6170	269.67	2.000	50.80	0	1	R
685	10.9100	277.11	3.250	82.55	1	1	C
686	10.9390	277.85	2.000	50.80	1	1	C
687	11.1030	282.02	5.000	127.00	1	1	C
688	11.1140	282.30	4.000	101.60	1	1	C
689	11.1220	282.50	0.820	20.80	1	1	R
690	11.1440	283.06	4.000	101.60	1	1	C
691	11.1610	283.49	0.992	25.20	1	2	R
692	11.1660	283.62	2.000	51.25		1	R
693	11.1930	284.30	3.000	76.20	1	1	C
694	11.2711	286.29	3.000	76.20	1	1	C
695	11.3320	287.83	3.500	88.90	1	1	C
696	11.3420	288.09	3.000	76.20	1	1	C
697	11.4300	290.32	2.750	69.85	1	1	C
698	11.4620	291.13	6.000	152.40	1	1	C
699	11.5400	293.12	2.017	51.24	1	1	R
700	11.5551	293.50	3.150	80.00	1	1	R
701	11.6120	294.94	3.000	76.20	1	1	C
702	11.8130	300.05	2.000	51.00	1	2	R
703	11.8153	300.11	1.650	42.25	1	1	R
704	11.8380	300.69	3.000	76.20	1	1	C
705	11.8500	300.99	4.250	107.95	1	1	C
706	11.9413	303.31	2.000	50.80		1	R
707	12.1420	308.41	1.850	47.00	1	1	R
708	12.2160	310.29	3.250	82.55	1	1	C
709	12.2560	311.30	3.000	76.20	1	1	C
710	12.3110	312.70	3.000	76.20	1	1	C
711	12.4210	315.49	2.000	50.90	1	1	R
712	12.4470	316.15	2.750	69.85	1	1	C
713	12.4480	316.18	1.500	38.50	1	2	R
714	12.4640	316.59	3.000	76.20	1	1	C
715	12.5270	318.19	2.000	50.80	1	1	C

ID	RADIUS(IN)	RADIUS(MM)	DIA (IN)	DIA(MM)	CX	CC	Location
716	12.6630	321.64	2.750	69.85	1	1	C
717	12.6950	322.45	4.500	114.30	1	1	C
718	12.7930	324.94	2.000	51.00	1	1	R
719	12.8330	325.96	5.250	133.35	1	1	C
720	12.8780	327.10	3.375	85.73	1	1	C
721	12.8810	327.18	3.750	95.25	1	1	C
722	13.1640	334.37	3.250	82.55	1	1	C
723	13.1690	334.49	3.540	90.00	0	1	R
724	13.3570	339.27	3.000	76.20	1	1	C
725	13.4490	341.60	2.000	50.92	1	1	R
726	13.4750	342.27	16.000	406.40	1	1	C
727	13.5250	343.54	1.600	40.50	1	2	R
728	13.7510	349.28	1.995	50.67	1	1	R
729	13.7620	349.55	4.000	101.60	1	1	C
730	13.7650	349.63	4.000	101.60	1	1	C
731	13.8160	350.93	3.750	95.25	1	1	C
732	13.8570	351.97	2.000	50.88	1	1	R
733	13.9800	355.09	3.750	95.25	1	1	C
734	14.0260	356.26	6.000	152.40	1	1	WB
735	14.0490	356.84	3.750	95.25	1	1	C
736	14.1060	358.29	3.500	88.90	1	1	C
737	14.3210	363.75	4.000	101.60	1	1	C
738	14.4750	367.67	2.750	69.85	1	1	C
739	14.5620	369.87	3.500	88.90	1	1	C
740	14.8820	378.00	3.000	76.20	1	1	C
741	14.9360	379.37	3.250	82.55	1	1	C
742	15.1470	384.73	3.500	88.90	1	1	C
743	15.1720	385.37	4.000	101.60	1	1	C
744	15.2590	387.58	3.000	76.20	1	1	C
745	15.5007	393.72	3.000	76.20	1	1	C
746	15.7310	399.57	3.250	82.55	1	1	C
747	15.8000	401.32	3.000	76.20	1	1	C
748	15.8080	401.52	3.000	76.20	1	1	C
749	15.8180	401.78	4.000	101.60	1	1	C
750	15.8250	401.96	1.654	42.00		1	R
751	15.9610	405.41	4.250	107.95	1	1	C
752	16.1890	411.20	2.749	69.80	1	1	R
753	16.3690	415.77	6.000	152.40	1	1	C
754	16.4060	416.71	3.000	76.20	1	1	C
755	16.4670	418.26	6.000	152.40	1	1	C
756	16.5550	420.50	1.750	44.45	1	1	C
757	16.5660	420.78	4.000	101.60	1	1	C
758	16.6950	424.05	6.000	152.40	1	1	WB
759	16.7120	424.48	2.750	69.85	1	1	C
760	16.7220	424.74	2.205	56.00	0	1	R
761	16.7810	426.24	3.500	88.90	1	1	C
762	16.9170	429.69	3.000	76.20	1	1	C
763	16.9240	429.87	2.260	57.44	1	1	R
764	16.9520	430.58	2.000	50.80	1	1	C
765	16.9960	431.70	3.000	76.20	1	1	C
766	17.0968	434.26	1.250	31.75	1	1	R

ID	RADIUS(IN)	RADIUS(MM)	DIA (IN)	DIA(MM)	CX	CC	Location
767	17.3590	440.92	2.750	69.85	1	1	C
768	17.7090	449.81	4.000	101.60	1	1	C
769	17.7760	451.51	4.000	101.60	1	1	C
770	17.8330	452.96	3.000	76.20	1	1	C
771	17.8930	454.48	4.000	101.60	1	1	C
772	18.0030	457.28	2.000	50.80	1	1	C
773	18.0390	458.19	5.500	139.70	1	1	C
774	18.3630	466.42	6.000	152.40	1	1	C
775	18.3630	466.42	3.000	76.20	1	1	C
776	18.4360	468.27	5.000	127.00	1	1	C
777	18.6090	472.67	6.000	152.40	1	1	C
778	18.6500	473.71	2.000	50.80	1	1	C
779	18.9310	480.85	3.000	76.20	1	1	C
780	19.3530	491.57	3.000	76.20	1	1	C
781	20.0570	509.45	6.000	152.40	1	1	WB
782	20.1980	513.03	3.000	76.20	1	1	C
783	20.7550	527.18	6.000	152.40	1	1	WB
784	20.9190	531.34	4.500	114.30	1	1	C
785	20.9670	532.56	3.250	82.55	1	1	C
786	21.6020	548.69	1.900	48.30	1	2	R
787	21.6170	549.07	3.250	82.55	1	1	C
788	21.6470	549.83	0.760	19.31	1	1	R
789	21.7400	552.20	2.270	57.60	1	1	R
790	21.9670	557.96	6.000	152.40	1	1	WB
791	22.1050	561.47	2.750	69.85	1	1	C
792	22.6810	576.10	3.250	82.55	1	1	C
793	22.9190	582.14	6.000	152.40	1	1	C
794	22.9920	584.00	6.000	152.40	1	1	C
795	23.3800	593.85	2.750	69.85	1	1	C
796	23.4000	594.36	4.000	102.50		1	R
797	23.5540	598.27	6.000	152.40	1	1	WB
798	23.6890	601.70	4.750	120.65	1	1	C
799	24.2910	616.99	5.032	127.80	1	1	R
800	25.0580	636.47	5.000	127.00	1	1	C
801	25.1190	638.02	3.000	76.20	1	1	C
802	26.6890	677.90	2.000	50.80		1	R
803	26.7180	678.64	3.750	95.25	1	1	C
804	27.0810	687.86	2.250	57.15	1	1	C
805	27.2140	691.24	6.000	152.40	1	1	C
806	27.5650	700.15	4.000	101.60	1	1	C
807	28.0580	712.67	3.000	76.20	1	1	C
808	28.0580	712.67	3.000	76.20	1	1	C
809	28.2920	718.62	2.000	50.80	1	1	R
810	28.6190	726.92	2.500	63.50	1	1	C
811	29.3080	744.42	4.000	101.60	1	1	C
812	29.5840	751.43	6.000	152.40	1	1	C
813	29.7650	756.03	3.000	76.20	1	1	C
814	29.9540	760.83	4.000	101.60	1	1	C
815	30.1010	764.57	2.500	63.50	1	1	C
816	30.8160	782.73	4.000	101.60	1	1	C
817	31.4600	799.08	6.000	152.40	1	1	C

ID	RADIUS(IN)	RADIUS(MM)	DIA (IN)	DIA(MM)	CX	CC	Location
818	33.3050	845.95	2.750	69.85	1	1	C
819	33.5560	852.32	6.000	152.40	1	1	WB
820	33.9040	861.16	6.000	152.40	1	1	WB
821	34.2000	868.68	3.250	82.55	1	1	C
822	34.7620	882.95	6.000	152.40	1	1	WB
823	34.9070	886.64	4.500	114.30	1	1	C
824	35.8500	910.59	3.250	82.55	1	1	C
825	36.2310	920.27	3.250	82.55	1	1	C
826	36.6650	931.29	6.000	152.40	1	1	C
827	36.7120	932.48	3.500	88.90	1	1	C
828	36.8680	936.45	4.000	101.60	1	1	C
829	36.9528	938.60	2.000	50.80		1	R
830	37.0854	941.97	2.000	50.80	1		R
831	37.5600	953.94	1.000	25.40	1	1	R
832	37.8070	960.30	6.000	152.40	1	1	C
833	41.2910	1048.79	4.000	101.60	1	1	C
834	43.9170	1115.49	6.000	152.40	2	2	C+WB
835	44.7000	1135.38	2.000	50.80	1	1	R
836	45.0300	1143.76	4.000	101.60	1	1	C
837	50.7580	1289.25	3.000	76.20	1	1	C
838	54.6980	1389.33	8.000	203.20	1	1	WB
839	72.4200	1839.47	4.000	101.60	1	1	C
840	73.4420	1865.43	6.000	152.40	1	1	C
841	79.3098	2014.47	2.000	50.80	1	1	R
842	80.5980	2047.19	6.000	152.40	1	1	WB
843	83.5900	2123.19	3.500	88.90	1	1	C
844	85.0000	2159.00	4.000	101.60	1	1	C
845	105.0000	2667.00	3.250	82.55	1	1	C
846	120.1560	3051.96	6.000	152.40	2	2	C+WB
847	125.0000	3175.00	3.250	82.55	1	1	C
848	145.0000	3683.00	3.250	82.55	1	1	C
849	185.0000	4699.00	3.750	95.25	1	1	C
850	192.4120	4887.26	6.000	152.40	1	1	WB
851	202.7559	5150.00	2.360	60.00	1	1	R
852	225.0000	5715.00	3.250	82.55	1	1	C
853	226.7040	5758.28	6.000	152.40	1	1	WB
854	233.3500	5927.09	6.000	152.40	1	1	WB
855	260.0000	6604.00	3.250	82.55	1	1	C
856	308.5780	7837.88	1.500	38.10	1	1	R
857	312.4810	7937.02	6.000	152.40	1	1	C
858	340.0000	8636.00	3.250	82.55	1	1	C
859	341.6000	8676.64	6.000	152.40	1	1	WB
860	395.0000	10033.00	3.250	82.55	1	1	C
861	495.0000	12573.00	3.250	82.55	1	1	C
862	595.0000	15113.00	3.250	82.55	1	1	C